

EPSON® EPL-6200/6200L



High performance A4 mono laser professional printers

- Perfect for small workgroups and personal printing
- Reliable, high quality output to support your needs
- Low investment and running costs
- High print speeds of up to 20 ppm and flexible paper handling
- Simple to integrate – connectable and compatible
- Easy to use and maintain, compact pre-installed consumables

EPSON® EPL-6200/6200L

The EPSON EPL-6200 and EPL-6200L are the ideal printing solutions for small to medium workgroups and personal users. They deliver professional performance quickly, easily, reliably and cost-effectively, and are perfect for users who need high levels of laser quality and productivity at a low investment.

PROFESSIONAL PERFORMANCE FROM A LOW INVESTMENT



EPSON EPL-6200 Key Features

A4 mono networkable laser

Print speeds up to 20 ppm, 1200dpi resolution

10.3 seconds first page out time

Standard ESC/Page, PCL6 and PCL5 and Adobe® Postscript® 3™ support

Standard 250 sheet paper cassette

Optional 500 sheet cassette and duplex unit

USB and Parallel interface as standard - Optional Network interface*

Windows and Mac compatible

30,000 pages maximum monthly volume

No waiting for great prints

These high performance business printing solutions deliver quality prints, fast. That means crisper, sharper text and smoother images at up to 20 ppm.

Comprehensive business support

Simple operation, straightforward maintenance and impressive reliability leave you free to concentrate on your business communications.

With live status information, automatic trouble shooting, pre-installed easy access consumables, plus high monthly duty cycles, the EPSON EPL-6200 and EPSON EPL-6200L give you high quality business support without any fuss.

You will also find that low acquisition and running costs, make these printers the ideal solution for you and your business.

Efficient network management

To enable simple configuration, monitoring and management across your network, the EPSON EPL-6200 is easy to use and available with EpsonNet configuration and monitoring tools*.



Easy access, front loading consumables

THE EPSON EPL-6200 DELIVERS A HIGH PERFORMANCE SOLUTION AT A LOW COST. WITH ITS FLEXIBLE NETWORK CONNECTIVITY AND FAST, HIGH QUALITY PRINTING PERFORMANCE, IT IS THE IDEAL CHOICE FOR ANY SMALL TO MEDIUM WORKGROUP.

* Standard on EPSON EPL-6200N



EPSON EPL-6200 with additional 500 sheet tray and duplex unit

Compatible with your environment

These printers look good, take up minimal space, and are compatible with your PC or Mac environment. The networkable, PostScript ready EPSON EPL-6200 suits all main emulations and legacy applications, and can even be configured and managed remotely. Both printers feature USB and Parallel interfaces for optimum data transfer and plug and play simplicity.

Handles all your printing needs

Versatility is the key to good business printing. These printers have the power and flexibility to produce what you want, when you want it. Superb text and image quality will transform your business printing, from reports, letters and memos to newsletters, invoices and spreadsheets. You can print on labels, transparencies and letter head, with excellent results on both plain and recycled paper. And the EPSON EPL-6200 can even help you save on paper and storage costs with an optional duplex unit.



THE EPSON EPL-6200L IS A HIGHLY COMPACT AND VERSATILE MONO LASER PRINTER, DESIGNED FOR PERSONAL BUSINESS USERS.

EPSON EPL-6200L Key Features

- Compact A4 mono personal laser
- Print speeds up to 20 ppm, 600dpi resolution
- 10.3 seconds first page out time
- Standard 150 sheet paper cassette
- USB and Parallel interface as standard
- Windows and Mac compatible
- 15,000 pages maximum monthly volume



EPSON® EPL-6200/6200L



Specifications

MODELS	EPSON EPL-6200 (Euro): EPSON EPL-6200 (UK): EPSON EPL-6200 (Swiss): EPSON EPL-6200N: EPSON EPL-6200L (Euro): EPSON EPL-6200L (UK): EPSON EPL-6200L (Swiss):	C11C533011BZ C11C533011BY C11C533011BX C11C533011BR C11C534011BZ C11C534011BY C11C534011BX
CONFIGURATIONS	Printing Method Engine Resolution Resolution Enhancement Toner Save Mode Print Speed Processor First Page Out Warm Up Time	Laser EPL-6200: 1200dpi RIT, EPL-6200L: 600dpi EPL-6200: Enhanced Microgray and RITech Yes 20ppm (A4) EPL-6200: EPSON 200MHz 64 bit RISC, EPL-6200L: EPSON 48MHz 32 bit RISC Less than 10.3 seconds Less than 21 seconds
PAPER HANDLING	Standard Paper Input Paper Size Paper Weight Optional Paper Handling Maximum Paper Input Standard Paper Output Maximum Paper Output	EPL-6200: Up to 250 sheets of plain paper and recycled paper EPL-6200L: Up to 150 sheets of plain paper and recycled paper Up to 10 envelopes, labels, thick paper A4, B5, A5, LT, HLT, GLT, EXE, LGL, GLG, F4, Monarch, DL, C5, C6, C10, IB5 (Custom size from 76 x 148mm to 216 x 356 mm) 60-163 g/m ² EPL-6200: 500 Sheet Lower Cassette: C12C802042 EPL-6200: Duplex Unit: C12C802051 (Requires 500 sheet tray to be installed) Output Tray Attachment: EPL6200: C12C802081, EPL6200L: C12C802121 EPL-6200: 750 sheets, EPL-6200L: 150 sheets 100 sheets face down delivery 100 sheets
PRINTABLE AREA		Entire paper area except for a 4 mm margin at each edge
PRINTER CONTROL LANGUAGE EMULATIONS	Standard	EPL-6200: ESC/Page™, PCL6, ESC/P2™, FX, I239X, Adobe PS3
RESIDENT TYPEFACES	Scalable	EPL-6200: 84 ESC/Page™, 80 PCL, 12 ESC/P2™, 8FX, 8 I239X, 17 PS3 EPL-6200L: Compatible with all TrueType® fonts and supported Windows™ and Apple Macintosh™ Operating Systems EPL-6200: 3 ESC/Page™, 7 PCL, 2 ESC/P2™, 2 FX, 1 I239X EPL-6200: Included in font ROM
INTERFACES	Standard Configuration	IEEE 1284 bi-directional Parallel Interface with compatibility mode, nibble mode and ECP mode USB compliant
	Optional Interface	10/100BaseTX network interface
MEMORY	Standard	EPL-6200: 8MB RAM with MiTech EPL-6200L: 2MB RAM with MiTech
	Maximum Expansion Type	EPL-6200: 136MB RAM, EPL-6200L: 2MB RAM EPL-6200 Only: Compatible with 16, 32, 64, 128MB RAM - 1 slot free EPL-6200: Only DIMMs produced specifically for EPSON products are compatible. Please see EPSON price list for details and order code
CONSUMABLES LIFE*	Toner Cartridges**	EPL-6200: Standard Yield Toner Cartridge 3,000 pages C13S050166, High Yield Toner Cartridge 6,000 pages C13S050167 EPL-6200L: Standard Yield Toner Cartridge 3,000 pages C13S050166 20,000 pages C13S051099
	Photoconductor	*The above figures are approximate and are based on the number of sheets printed under conditions of continuous printing. Intermittent use may reduce page yield. **EPL-6200: Initial 3,000 pages, EPL-6200L: Initial 1,500 pages
RELIABILITY AND DURABILITY	Maximum Monthly Volume	EPL-6200: 30,000 pages, EPL-6200L: 15,000 pages
ENVIRONMENTAL CONDITIONS	Temperature	Operation: 10 to 35 °C (50 to 95°F) Storage: 0 to 35 °C (32 to 95 °F)
	Humidity	Operation: 15 to 85% RH Storage: 30 to 85% RH
	Acoustic Level Operating	54dB(A) or less while printing
	Acoustic Level Stand By	39dB(A) or less in Standby Mode
	Acoustic Level Sleep Mode	No noise (Energy star mode)
SAFETY AND REGULATIONS	Safety Standards	EPL-6200: Directives EN 60950, IEC60950, GB4943, EN60825-1 EPL-6200L: Directives EN 60950, EN60825-1
	Electrical Standards	Directives IEC61000-4-4, IEC60801-2
	EMC	Directives EN 55022, EN 55024, EN 61000-3-3, CISPR 22, GB9254, GB17625
	Ozone Concentration	0.02m g/m ³ or less (New Blue Angel standard compliance)
	Ozone Generation	Blue Angel Mark compliant
	Materials	Not containing any materials prohibited by any country's regulations
	Chemical Regulations	Conform to OSHA, TSCA, and EINECS
POWER REQUIREMENTS	Rated Voltage	Energy Star compliant 220V to 240V ±10%
	Rated Frequency	50Hz or 60Hz ± 3Hz
	Rated Current	Less than 4.5 A
	Power Consumption (Max Operating)	EPL-6200: 861W, EPL-6200L: 825W
	Power Consumption (Av Operating)	EPL-6200: 372Wh, EPL-6200L: 357Wh
	Power Consumption (Standby)	Less than 48W
	Power Consumption (Sleep Mode)	EPL-6200: 7Wh, EPL-6200L: 8Wh
MINIMUM (RECOMMENDED) SYSTEM REQUIREMENT	PC	EPL-6200: OS recommended requirements, EPL-6200L: Pentium 133MHz (Pentium 233MHz), 16MB, 64MB Interfaces: EPL-6200: IEEE1284 ECP mode, USB [®] , 10/100BaseTX Ethernet, EPL-6200L: IEEE1284 ECP mode, USB [®]
	OS Supported	Windows 95/98/Me/XP/2000, NT 4.0 [®] Note: Windows 98/Me/2000/XP only
	MAC	EPL-6200: OS recommended requirements PowerMac G3, imac or ibook with 233MHz CPU, RAM: 32MB (64MB), Interfaces: EPL-6200: USB [®] , EtherTalk, EPL-6200L: USB [®]
	OS Supported	Mac OS 8.1 or later 9.X and OSX [®] Note: Mac OS 8.1 and above only
DIMENSIONS AND WEIGHT	Main Unit Size (W x D x H mm)	EPL-6200: 407 x 436 x 261 mm, EPL-6200L: 385 x 279 x 261 mm
	Main Unit Weight	EPL-6200: 7 Kg, EPL-6200L: 6.2 Kg (Weights not including consumables)
OPTIONS		EPL-6200: 500 Sheet Lower Cassette: C12C802042 EPL-6200: Duplex Unit: C12C802051 (Requires 500 sheet tray to be installed) Output Tray Attachment: EPL6200: C12C802081, EPL6200L: C12C802121
WARRANTY	Standard	1 Year Call Out
	Optional	EPSON CoverPlus 3 year extended Warranty On-Site, EPL-6200: ECPGRP35, EPL-6200L: ECPGRP30 EPSON CoverPlus 3 year extended Warranty Return to EPSON ECPGRP20

EPSON (UK) Ltd

Campus 100, Maylands Avenue,
Hemel Hempstead, Hertfordshire HP2 7TJ
United Kingdom
Telephone: +44 (0) 1442 261144
Fax: +44 (0) 1442 227227
E-mail: info@epson.co.uk

Home Page: www.epson.co.uk

For product support, call the EPSON Customer Support Hotline on 08704 437 766
For Ireland, call 01 679 9016 (Stylus products)
01 679 9015 (non Stylus products)



EPSON®